





上海越启实业有限公司

SHANGHAI YUEQI INDUSTRIAL CO., LTD

Third-party Strict Inspection



SHANGHAI YUEQI INDUSTRIAL CO., LTD



SHOT ON MI NOTE 3
MI DUAL CAMERA

SHOT ON MI NOTE 3
MI DUAL CAMERA

Inspection Certificate 3.1 & Certificate EN 10204 3.2:

Certificate no: CEN1818093/01
Page 1 of 2



Inspection Certificate

Project: /

Client: Shanghai Yueqi Industrial Co., Ltd.

Office: Shanghai

Client's Order Number: LR RFS No.:CEN/LQ/Q18-0536 Rev.2 Dated: 10 July. 2018

Date: 18 July 2018

Order Status: Complete

Inspection Dates

First: 09 July 2018

Final: 12 July 2018


This certificate is issued to Shanghai Yueqi Industrial Co., Ltd.. to certify that the undersigned inspector did at their request attend [redacted] Province, P.R. China for carrying out inspections of the following Steel rails to the scope of inspection mentioned below.

1. Description of goods:

Steel Rail: BS90A RAIL WITHOUT HOLES, MATERIAL: 900A, LENGTH: 12M ;
Quantity: 924 Pieces, 500.07T
Specification: UIC 860:2008
Proforma invoice No. for this PO.: DS201805211840 Dated: 01 June 2018

Item	Heat No.	Rail Section No.	Material	Length(MM)	Qty (pieces)
1	18804584	BS90A	900A	12,000	152
2	18804585	BS90A	900A	12,000	198
3	18804586	BS90A	900A	12,000	271
4	18804587	BS90A	900A	12,000	303
Total					924

2. Scope of inspection:

- Review raw material(Heat Analysis) test certificate;
- Review NDE records ;
- Review visual, dimensional and marking examination record ;
- Selection and identify of test samples for chemical , mechanical , falling weight test, macroscopic test, Brinell hardness test ;
- Witness chemical test ;
- Witness mechanical test ;
- Witness falling weight test ;
- Witness macroscopic examination ;
- Witness Brinell hardness test ;
- Witness visual, dimensional and marking examination 10% min randomly ;
- Validate and endorse the manufacturer certificates(Certificates No.: 180717R0015, 180717R0016, 180717R0017, 180717R0018, 180717R0019, 180717R0020, 180717R0021, 180717R0022);
- LR's inspector stamp"  " have stamped on the table of each end of steel rail.

Lloyd's Register Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'Lloyd's Register'. Lloyd's Register assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Form 1123 (2017.07)

上海越启实业有限公司


SHANGHAI YUEQI INDUSTRIAL CO., LTD

Certificate no: CEN1818093/01

Page 2 of 2

3. Conclusion:

On the basis of scope of inspection undertaken, the materials have been found to comply with the requirements of the order and relevant specification.



HAIWEN GAO
Inspector to Lloyd's Register Industrial Technical Services (Shanghai) Co., Ltd.

a member of the Lloyd's Register group.

Form 1123 (2017.07)

上海越启实业有限公司

SHANGHAI YUEQI INDUSTRIAL CO., LTD

产品质量证明书
INSPECTION CERTIFICATE

SHANGHAI YUEQI INDUSTRIAL CO., LTD

订货单位 CUSTOMER		钢号 GRADE		品名 PRODUCT		出口轨 (热轧) Export rail	
收货单位 PURCHASER		合同号 CONTRACT NO.		签发日期 DATE OF ISSUE		发货日期 DATE OF DELIVERY	
到站 DESTINATION		理论重量 SPECIFICATION		许可证号 LICENSE NO.		证明书编号 CERTIFICATE NO.	
规格 DIAMETER		45.099kg		UIC 860-2008; 900A			

项次 ITEM NO.	轧制序号 LOT NO.	炉号 HEAT NO.	米长 Length	数量 QTY	重量 WEIGHT	化学成分 %								拉伸试验 G.L.=50			硬度试验			显微组织			备注 REMARKS		
						C	Si	Mn	P	S	N	O	H	*A01 屈服	*A02 抗拉	*A03 伸长	*D01 硬度	*D01 硬度	*D01 硬度	*D01 硬度	*D01 硬度	*D01 硬度		*E01 显微组织	*E19 有效脱碳深度
001	1R18070003004	18804584	12.000	33	17.853	L	72	33	117	15	14.45.00	9.00	1.40	981	11.5	278	280	283	280	271	278	P+F(微)	0.5	33	1.5
001	1R18070003003	18804585	12.000	58	31.378	L	73	34	116	21	16.45.00	9.00	1.50	992	11.5	272	276	281	278	277	P+F(微)	0.5	33	1.5	
001	1R18070003002	18804586	12.000	4	2.164	L	74	34	115	16	9.45.00	9.00	0.30	978	11.0	273	276	272	274	278	P+F(微)	0.5	33	1.5	
001	1R18070003001	18804587	12.000	15	8.115	L	72	34	114	21	8.45.00	9.00	1.80	976	11.0	282	280	281	279	280	P+F(微)	0.5	33	1.5	
TOTAL:				110	59.510																				

注释 *A01=屈服强度 Yield Strength *A02=抗拉强度 *A03=伸长率 A2=A50mm *D01=硬度试验单值 Hardness Test A *E01=显微组织 *E19=有效脱碳深度 *I03=硫化物 *I01=硫化物 A 车号: 4923015	尺寸合格、外形合格、表面质量合格、探伤合格、落锤合格。 20180718-161107
---	--